

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
21 April 2005 (21.04.2005)


PCT

(10) International Publication Number  
**WO 2005/035148 A1**

- (51) International Patent Classification<sup>7</sup>: **B09B 3/00**, B29B 17/02
- (21) International Application Number: PCT/IB2004/000382
- (22) International Filing Date: 16 February 2004 (16.02.2004)
- (25) Filing Language: Italian
- (26) Publication Language: English
- (30) Priority Data:  
TP2003A000002 9 October 2003 (09.10.2003) IT
- (71) Applicant and  
(72) Inventor: DI GIOVANNI, Maurizio [IT/IT]; Via Marsala 181, I-81100 Trapani (IT).
- (74) Agent: TANSINI, Elio, Fabrizio; Bugnion S.p.A., Viale Lancetti 17, I-20158 Milano (IT).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: INDUSTRIAL PROCESS FOR RECYCLING WASTE, ITS APPLICATIONS AND PRODUCTS OBTAINED



(57) Abstract: The present invention relates to an industrial process, a so-called oxido-destruction process, for conveniently recycling every type of waste of any origin. The materials obtained through said process have various and interesting possibilities of use in the industrial field. Said process is preferably carried out continuously, in a suitable mobile or stationary system, by subjecting said waste to an oxidative demolition-polymerization reaction, followed if necessary by a repolymerization reaction depending on the desired end product. In the first case, the result consists of fluid and solid, biologically stable sterile materials, whereas in the second case the result is a stable sterile expanded polymer having a polyurethane structure.



**Published:**

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*